

1. An information display system comprising:  
a display unit including a plurality of display areas into  
which a predetermined area is divided;

an acquiring unit acquiring the specified item of information; and

10

15

20

25

5        5. An information display system according to claim 4,  
wherein the first item of information is related to the second  
item of information by use of a specified keyword, and

10           6. An information display system according to claim 1,  
wherein said display unit displays identifying information for  
identifying said display area,

7. An information display system according to claim 6,  
20 wherein the identifying information is displayed within said  
display area identified by the identifying information,

25

8. An information display system according to claim 6,  
wherein when said operation unit detects an indication operation

with respect to the identifying information, said enlarged single display area is changed into a plurality of display areas.

9. An information display system comprising:

5 a display unit displaying a turn object which includes an indicator, indicating any one piece of identifying information among pieces of identifying information arranged along substantially a circumferential shape, turning about the center of the circumferential shape;

10 a detection unit detecting an operation of said operation unit with respect to said turn object; and

a control unit turning said indicator in accordance with the detected operation.

15 10. An information display system according to claim 9, wherein said operation unit is a pointing device having at least two pieces of buttons, and

said indicator turns counterclockwise by depressing said first button and turns clockwise by depressing said second  
20 button.

11. An information display system according to claim 10, wherein said two buttons are right and left buttons,

said first button is the left button, and  
25 said second button is the right button.

12. An information display system comprising:

a communication unit obtaining information by accessing a network;

a display unit displaying the information obtained;

a correspondence storage module making an item of  
5 identifying information correspond to a specified item of information; and

a control unit displaying, in a display area, the information obtained from the network via said communication unit,

10 wherein said display unit includes a display area for displaying the information and a turn object having an indicator, indicating any one piece of identifying information among pieces of identifying information arranged along substantially a circumferential shape, turning about the center of the  
15 circumferential shape, and

said control unit detects an operation of said operation unit with respect to said turn object, turns said indicator in accordance with the operation of said operation unit, and displays the information corresponding to the identifying  
20 information indicated in a position to which said indicator is turned.

13. An information display system according to claim 12, wherein said turn object has pieces of information arranged along  
25 said substantially circumferential shape and each representing the number of divisions by which the display area of said display unit is divided, and

when said indicator is turned to the position of indicating the information representing the number of divisions, the display area is divided by this number of divisions, and plural items of information are displayed in the divided display areas.

5

14. An information display system comprising:

a display unit displaying an object including an indicator for indicating any one piece of identifying information among plural pieces of identifying information;

10

a detection unit detecting a content of an indicating operation of an operation unit with respect to said object; and

a control unit changing the indication of identifying information indicated by said indicator in accordance with the detected content of the indicating operation.

15

15. An information display system comprising:

a display unit displaying an object displayed on a screen and serving as an operation target; and

20

a control unit detecting an indicating operation with an operation unit with respect to said object, and changing a display mode of displaying said object on said display unit in accordance with the indicating operation thereof,

25

wherein said object is moved and displayed in a second display position by the indicating operation with respect to said object displayed in a first display position.

16. An information display system according to claim 15,

the indicating operation is a click on said object.

5

10

push button.

15

```
predetermined area is divided;
```

20

25

21. A storage medium readable by a machine tangible  
embodying a program according to claim 19, of instructions  
executable by the machine, the method steps further comprising  
5 storing display histories of items of information displayed,

wherein the items of information stored as the display  
histories are displayed in a predetermined order in respective  
display areas.

10 22. A storage medium readable by a machine tangible  
embodying a program according to claim 19, of instructions  
executable by the machine, the method steps further comprising  
displaying the second item of information in a second display  
area while keeping the display of the first item of information  
15 in said first display area, when a first item of information  
displayed in a first display area is related to a second item  
of information, and when giving an indication of displaying the  
second item of information.

20 23. A storage medium readable by a machine tangible  
embodying a program according to claim 22, of instructions  
executable by the machine, wherein the first item of information  
is related to the second item of information by use of a specified  
keyword, and

25 when the keyword is dragged and dropped to said second  
display area, the second item of information is displayed.

```

        displaying identifying information for identifying said
5  display area; and

```

wherein when the identifying information corresponding to the display area is specified, said display area corresponding to the identifying information is enlarged, and only said single display area is displayed.

25. A storage medium readable by a machine tangible  
embodying a program according to claim 19, of instructions  
15 executable by the machine, the method steps further comprising  
displaying the identifying information within said display area  
identified by the identifying information, and, when detecting  
an indicating operation with respect to the identifying  
information, enlarging said single display area corresponding  
20 to the identifying information.

26. A storage medium readable by a machine tangible embodying a program according to claim 25, of instructions executable by the machine, wherein when detecting an indication operation with respect to the identifying information, said enlarged single display area is changed into a plurality of display areas.



27. A storage medium readable by a machine, tangible embodying a program of instructions executable by the machine to perform method steps comprising:

5 displaying a turn object including an indicator, for indicating any one piece of identifying information among pieces of identifying information arranged along substantially a circumferential shape, turning about the center of the circumferential shape;

10 detecting an operation with respect to said turn object; and

turning said indicator in accordance with the detected operation.

15 28. A storage medium readable by a machine tangible embodying a program according to claim 27, of instructions executable by the machine, wherein the operation is an operation of a pointing device having at least two pieces of buttons, and  
an indicator is turned counterclockwise by depressing said  
20 first button and turned clockwise by depressing said second button.

29. A storage medium readable by a machine tangible embodying a program according to claim 28, of instructions  
25 executable by the machine, wherein said two buttons are right and left buttons,

said first button is the left button, and

00764303:0146  
F06TF0:00249200

said second button is the right button.

30. A storage medium readable by a machine, tangible  
embodying a program of instructions executable by the machine  
5 to perform method steps comprising:

obtaining information by accessing a network;

forming a display area for displaying the information;

displaying a turn object having an indicator, for

indicating any one piece of identifying information among pieces

10 of identifying information arranged along substantially a  
circumferential shape, turning about the center of the  
circumferential shape;

making the identifying information corresponding to a  
specified item of information;

15 detecting an operation with respect to said turn object;  
turning said indicator in accordance with the detected  
operation; and

displaying, in said display area, the information  
corresponding to the identifying information indicated in a  
20 position to which said indicator is turned.

31. A storage medium readable by a machine tangible  
embodying a program according to claim 30, of instructions  
executable by the machine, wherein said turn object has pieces  
25 of information arranged along substantially a circumferential  
shape and each representing the number of divisions by which  
the display area of said display unit is divided, and

5

[illegible]

10

to said object; and

15

20

as an operation target;

object; and

25

wherein said object is moved and displayed in a second

display position when detecting the indicating operation with respect to said object displayed in a first display position.

34. A storage medium readable by a machine tangible  
5 embodying a program according to claim 33, of instructions executable by the machine, wherein said computer includes a mouse, and

the indicating operation is a click on said object.

10 35. A storage medium readable by a machine tangible embodying a program according to claim 33, of instructions executable by the machine, wherein said computer includes a touch panel, and

15 the indicating operation is one-touch operation on said object.

36. A storage medium readable by a machine tangible embodying a program according to claim 33, of instructions executable by the machine, wherein said computer includes a  
20 communication unit with a remote controller having a push button, and

the predetermined is a pushing operation on the push button.

25 37. An information display method comprising:  
forming a plurality of display areas into which a predetermined area is divided;

specifying information to be displayed in the display area ;

obtaining a specified item of information; and

displaying the obtained information in the display area  
5 corresponding thereto.

38. An information display method according to claim 37,  
further comprising obtaining the information by accessing a  
network.

10

39. An information display method according to claim 37,  
further comprising storing display histories of items of  
information displayed,

15

wherein the items of information stored as the display  
histories are displayed in a predetermined order in respective  
display areas.

20

40. An information display method according to claim 37,  
further comprising, when a first item of information displayed  
in a first display area is related to a second item of information,  
and when giving an indication of displaying the second item of  
information, displaying the second item of information in a  
second display area while keeping the display of the first item  
of information in said first display area.

25

41. An information display method according to claim 40,  
wherein the first item of information is related to the second

item of information by use of a specified keyword, and  
when the keyword is dragged and dropped to said second  
display area, the second item of information is displayed.

5           42. An information display method according to claim 37,  
further comprising:

displaying identifying information for identifying said  
display area, and

10           detecting an operation with respect to the identifying  
information,

wherein when the identifying information corresponding  
to the display area is specified, said display area corresponding  
to the identifying information is enlarged, and only said single  
display area is displayed.

15           43. An information display method according to claim 37,  
further comprising displaying the identifying information  
within said display area identified by the identifying  
information, and, when detecting an indicating operation with  
20           respect to the identifying information, enlarging said single  
display area corresponding to the identifying information.

25           44. An information display method according to claim 43,  
wherein when detecting an indication operation with respect to  
the identifying information, said enlarged single display area  
is changed into a plurality of display areas.

TOP SECRET

45. An information display method comprising:

displaying a turn object including an indicator, for  
indicating any one piece of identifying information among pieces  
of identifying information arranged along substantially a  
5 circumferential shape, turning about the center of the  
circumferential shape;

detecting an operation with respect to said turn object ;  
and

turning said indicator in accordance with the detected  
10 operation.

46. An information display method according to claim 45,  
wherein the operation is an operation of a pointing device having  
at least two pieces of buttons, and

15 an indicator is turned counterclockwise by depressing said  
first button and turned clockwise by depressing said second  
button.

47. An information display method according to claim 46,  
20 wherein said two buttons are right and left buttons,  
said first button is the left button, and  
said second button is the right button.

48. An information display method comprising:  
25 obtaining information by accessing a network;  
forming a display area for displaying the information;  
displaying a turn object having an indicator, for

FOOTNOTES

indicating any one piece of identifying information among pieces of identifying information arranged along substantially a circumferential shape, turning about the center of the circumferential shape;

5           making the identifying information corresponding to a specified item of information;

          detecting an operation with respect to said turn object ;

          turning said indicator in accordance with the detected operation; and

10           displaying, in said display area, the information corresponding to the identifying information indicated in a position to which said indicator is turned.

49. An information display method according to claim 48,  
15   wherein said turn object has pieces of information arranged along substantially a circumferential shape and each representing the number of divisions by which the display area of said display unit is divided, and

          when said indicator is turned to the position of indicating  
20   the information representing the number of divisions, the display area is divided by this number of divisions, and plural items of information are displayed in the divided display areas.

50. An information display method comprising:

25           displaying an object including an indicator for indicating any one piece of identifying information among plural pieces of identifying information;



detecting a content of an indicating operation with respect  
to said object; and

changing indication of the identifying information  
indicated by said indicator in accordance with the detected  
5 content of the indicating operation.

51. An information display method using a computer  
comprising:

10 displaying an object displayed on a screen and serving  
as an operation target;

detecting an indicating operation with respect to the  
object; and

changing a display mode of displaying said object in  
accordance with the indicating operation,

15 wherein said object is moved and displayed in a second  
display position when detecting the indicating operation with  
respect to said object displayed in a first display position.

52. An information display method according to claim 51,  
20 wherein said computer includes a mouse, and  
the indicating operation is a click on said object.

53. An information display method according to claim 51,  
wherein said computer includes a touch panel, and  
25 the indicating operation is one-touch operation on said  
object.

54. An information display method according to claim 51,  
wherein said computer includes a communication unit with a remote  
controller having a push button, and

the predetermined is a pushing operation on the push  
5 button.

09:54:02 01/01/2025